



台聚關係企業

# USI CORPORATION SAFETY DATA SHEET

## 1. Identification Of The Material And Company

Chemical Name : HIGH DENSITY POLYETHYLENE

Trade Name : UNITHENE ®

Synonyms: HIGH DENSITY POLYETHYLENE RESINS, HDPE

REACH registration number: 01-2119462827-27-xxxx

Main Applications : Each HDPE has its individual application such as flat yarn, coarse monofilament, injection molding, sheet extrusion.

Please refer to the TDS (Technical Data Sheet) for the detailed information.

Supplier Name : USI Corporation

Addresses/Phone: NO.330,FENGREN RD.,RENWU DIST.,KAOHSIUNG,TAIWAN / TEL: +886-2-8751-6888

Emergency phone Number/FAX : +886-2-87516888 /FAX: +886-3-318-7229

## 2. Hazardous Identification:

Not a hazardous substance or mixture

Classification according to Regulation GHS : Not classified as hazardous

Classification according to Regulation (EC) No 1272/2008[CLP] : Not classified as hazardous

Contents of label : None

Other Hazards : None

Results of PBT and vPvB assessment:This information is not required.

## 3. Composition/Information On Ingredients

Pure substance:

Chinese and English Chemical name: 高密度聚乙烯

High Density Polyethylene

Synonyms: HIGH DENSITY POLYETHYLENE RESINS, HDPE

Chemical Abstracts Number (CAS Number) : 9002-88-4

REACH registration number: 01-2119462827-27-xxxx

Hazardous Components : None

## 4. First Aid Measures:

The first aid measures for different exposure routes:

- Inhalation:Supply fresh air . Get medical attention.
- Skin Contact:If contact with molten material, immediately immerse contacted area with cold water.  
Don't attempt to peel off the molten material from skin.Get medical attention.
- Eye Contact:Flush eyes with plenty of water for several minutes. Seek medical advice if pain persists.
- Ingestion:Get medical attention.

Major Symptom And Harm Effect:None

First-Aid Personal Protection:No need

Notes to physician:expatiate symptom or phenomenon of the patient.

## 5. Fire Fighting Measures

Suitable Extinguishing Media: Water, carbon dioxide, dry chemical

Hazardous Combustion Products: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

Special Extinguishing Procedure:

1. Stand on the up-wind side, then apply fire extinguisher to cover the fire area thoroughly.
2. If possible, remove the remaining pellets or goods to a safe location.

Appropriate protective fire fighting clothing and respirator are necessary for firefighters.



# USI CORPORATION SAFETY DATA SHEET

台聚關係企業

| 6. Accidental Release Measures   |  |
|--|--|
| <b>Personal Protection:</b> It may be slippery.<br><b>Environmental Protection:</b> Do not flush into surface water or sanitary sewer system.<br><b>Methods For Cleaning Up:</b> Stop leak and shovel into container for disposal.   |  |
| 7. Handling And Storage:   |  |
| <b>Handling:</b> Before using, read the Product Data Sheet. Use in well-ventilated area.<br><b>Storage:</b> Keep in a dry, cool place. Do not store in heat or direct sunlight.<br>Keep container tightly closed when not being used.<br><b>Specific end uses:</b> None  |  |
| 8. Exposure Control/Personal Protection  |  |
| <b>Engineering Control :</b> Ventilated area to prevent accumulation of fumes.<br><b>Control Factor :</b><br><b>●8 hours time average exposure limits/Short-term exposure limits/maximum exposure limits:</b>  |  |
| <b>PEL - Permissible exposure limit</b>  | <b>Regulation</b>  |
| TLV-TWA  | No applicable data ( 8hr)  |
| TLV-STEL   | No applicable data (15min)   |
| TLV-C  | No applicable data   |
| <b>Environmental exposure controls:</b> No special environmental precautions required<br><b>●Biological standard:</b> N/A<br><b>Personal Protection Equipment:</b><br><b>●Respiratory Protection:</b> Use dust-proof mask.<br><b>●Hand Protection:</b> Use rubber gloves. Use thermal resistant gloves, when needed.<br><b>●Eye Protection :</b> Use safety goggles, when fumes is present.<br><b>●Skin &amp; Body Protection:</b> Long sleeve coats and gloves to protect skin exposure.<br><b>Hygiene Procedures:</b> None |  |
| 9. Physical And Chemical Properties / Characteristics  |  |
| <b>Appearance (physical static, color, etc):</b> White<br>Solid pellets  | <b>Odor:</b> negligible  |
| <b>Odor threshold:</b> No data available   | <b>Melting Point:</b> 125 ~ 140 °C   |
| <b>PH value:</b> Not applicable  | <b>Boiling Point/ Boiling Range:</b> No data available                     |
| <b>Flammability:</b> No data available   | <b>Flash Point:</b> >340 °C  |
| <b>Decomposition Temperature:</b> No data available  | <b>Test Method:</b> Open Cup <input checked="" type="checkbox"/> Close Cup |
| <b>Autoignition Temperature:</b> 400 °C  | <b>Exposure Limits:</b> Not applicable                                     |
| <b>Vapor Pressure:</b> Not applicable  | <b>Vapor Density:</b> Not applicable                                       |
| <b>Density:</b> 0.940 ~ 0.965  | <b>Solubility In Water:</b> Insoluble                                      |
| <b>Partition coefficient(n-octanol/water,iog Kow):</b> No data available   | <b>Evaporation rate :</b> Not applicable                                   |
| 10. Stability And Reactivity:  |  |
| <b>Reactivity:</b> Stable under normal conditions of handling, use and transportation<br><b>Stability:</b> Stable<br><b>Special Conditions Of Hazardous Reaction:</b> N/A<br><b>Conditions To Avoid:</b> Avoid heating above the recommended processing temperature.<br><b>Incompatibility:</b> Might react with strong oxidant.<br><b>Hazardous Decomposition Products:</b> Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> ).  |  |



# USI CORPORATION SAFETY DATA SHEET

台聚關係企業

## 11. Toxicological Information:

Routes of exposure : Skin, eyes, inhalation and ingestion

Immediate effects:

- Eye: Solid or dust may cause irritation or corneal injury due to mechanical action.
- Inhalation :Dusts and vapors or fumes evolved during thermal processing may cause irritation to the respiratory system.
- Skin Contact: No skin irritation.
- Ingestion: Essentially non-toxic based on components.Unable to digest.

Other :

Carcinogenicity : No data available

Acute toxicity: No data available

Chronic toxicity: No data available

## 12. Ecological Information

Ecological Toxicity: Difficult to biodegrade. It can be recycled with appropriate technologies.

Sustainable and De-toxic: hard to naturally degrade.

Ecologic Accumulation: None

Liquidity in Soil: None

Results of PBT and vPvB assessment : This information is not required.

Other poor Effect: Improper burning may generate hazardous gas.

## 13. Disposal Information:

Disposal Information: Dispose of waste material at an approved waste incineration facility in accordance with applicable regulations.

## 14. Transport Information

The United Nations Number(UN-No): Not regulated

The United Nations Shipping Name: Not regulated

D.O.T. Hazard Class: Not regulated as a hazardous for transportation.

Package Category: Not regulated

Maritime Pollutants: Not regulated

Special Transport Way And Note: Not regulated

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code : Not applicable.

The General Rule for Classification and Hazard Communication of Chemicals (RIR-ADR 、 IMO 、 IATA 、 IMDG 、 FS A11): Not regulated for transport.

## 15. Regulatory Information:

HIGH DENSITY POLYETHYLENE (CAS#9002-88-4) is listed in the following chemical inventories:

- Australian-AICS
- Canada-DSL
- Chinese Inventory of Existing Chemical Substances
- European EINECS are exempt from the listings,all monomers are listed.
- Japan-ENCS
- New Zealand-NZIoC
- Philippines-PICCS
- USA-TSCA
- Taiwan - Taiwan's chemical substance inventory (TCSI)



台聚關係企業

# USI CORPORATION SAFETY DATA SHEET

## 16. Other Information:

### Abbreviation and Acronym:

CAS - Chemical Abstracts Service (division of the American Chemical Society)

CLP - Classification, Labelling and Packaging

D.O.T. - Depart of Transportation

GHS - Globally Harmonized System of Classification and Labelling of Chemicals

IBC Code - International Bulk Chemical Code

MARPOL - International Convention for the Prevention of Pollution from Ships

PBT - persistent, bioaccumulative and toxic

PEL - Permissible exposure limit

TLV-C - Threshold Limit Values-Ceiling exposure limit

TLV-STEL - Threshold Limit Values-Short Time Exposure Limit

TLV-TWA - Threshold Limit Values-Time Weighted Average

USA-OSHA - Occupational Safety and Health Administration

vPvB - very Persistent and very Bioaccumulative

Reference : None

Producer : USI Corporation

Addresses : No. 9, Dinghu 5th St., Guishan Dist., Taoyuan City 333, Taiwan

Phone Number : +886-2-8751-6888

Person who prepared the SDS : R & D Division

Date that the SDS was prepared : 2022/01/24

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, storage, processing, transportation, disposal and release and is not to be considered a warranty or quality specification.